

The screenshot displays the EAST - [default.wsp:1] application window. The top menu bar includes File, View, Edit, Tools, Window, and Help. Below the menu is a toolbar with various icons. On the left side, there is a tree view with categories: Drafts, Pending, Active, L1: (54) ((write adj transistor) or (write adj mosfet)) wit..., L2: (2) 1 with capacitor with read, L3: (8) 1 with capacitor, Failed, Saved, Favorites, and Tagged (7). The main area shows search results in a table format.

Type	L #	Hits	Search Text	DBs
BRS	L1	54	((write adj transistor) or (write adj mosfet)) with ((storage adj transistor) or (storage adj mosfet))	USPAT; US-PGPUB; EPO; JPO
BRS	L2	2	1 with capacitor with read	USPAT; US-PGPUB; EPO; JPO
BRS	L3	8	1 with capacitor	USPAT; US-PGPUB; EPO; JPO

At the bottom of the window, there is a status bar showing the current page as 2.00.

EAST - [default.wsp:1]

FileViewEditToolsWindowHelp

Drafts

Pending

Active

L1: (2) (write with transistor with capacitor) same (boos

Failed

Saved

Favorites

Tagged (0)

UDC

Queue

DBs

USPAT; US-PGPUB; EPO; JPO

Default operator: OR

Search

Print

Export

Import

Help

Quit

Highlight all hit terms initially

USPAT; US-PGPUB; EPO; JPO

USPAT; US-PGPUB; EPO; JPO

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	2	(write with transistor with capacitor) same (boost\$3 with volt\$3 with first with second)	USPAT; US-PGPUB; EPO; JPO

Start

CA

In

Ex

e

G

6

Ap

10

E

E

EN

11:18

EAST - [default.wsp:1]

File View Edit Tools Window Help

Drafts
Pending
Active
L1: (0) mosfet with storage with hold\$3 with (write or w
L2: (0) (mosfet with storage with hold\$3) same ((write c
L3: (0) (mosfet with storage with hold\$3) and ((write or
L4: (10) (mosfet with storage) and ((write or writing) w
Failed
Saved
Favorites

DBs: USPAT, US-PGPUB, EPO, JPO
Default operator: OR
☐ Plural
☐ Highlight all hit terms initially

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	0	mosfet with storage with hold\$3 with (write or writing) with read with transistor with capacitor	USPAT, US-PGPUB, EPO, JPO
2	BRS	L2	0	(mosfet with storage with hold\$3) same ((write or writing) with read with transistor with capacitor)	USPAT, US-PGPUB, EPO, JPO
3	BRS	L3	0	(mosfet with storage with hold\$3) and ((write or writing) with read with transistor with capacitor)	USPAT, US-PGPUB, EPO, JPO
4	BRS	L4	10	(mosfet with storage) and ((write or writing) with read with transistor with capacitor)	USPAT, US-PGPUB, EPO, JPO

Start [Icons] 10:22